




Tech Data

PANEL SMPTE 304 MODULAR ADAPTOR

Description



- Adaptor of Hybrid connectors SMPTE 304.
- **Front side:** SMPTE 304 Hybrid connector.
- **Rear side:** Terminal block AMP and 2 LC or SC connectors.
- **Portable** modular box
- **Thermoplastic Insulation plate** to isolate connectors and chassis.
- Complies with the **SMPTE 304 standard**.
- TV Broadcast and Video devices signal.

SMPTE STANDARDS

SMPTE 304-2009. Broadcast Cameras, Hybrid Electrical and Fiber-Optic Connector. It defines hybrid connectors, which contain a combination of electrical contacts and fiber-optic contacts for single-mode fiber



Tech Data


PANEL SMPTE 304 MODULAR ADAPTOR

Applications

TV broadcast installations and video equipment where it is necessary to **separate the signals received from the SMPTE 304 hybrid connector**

Physical Characteristics

Material	<ul style="list-style-type: none">• Extruded aluminum portable case• Base with non-slip rubber feet• Extruded aluminum box with thermoplastic insulating panel.• Electrostatic paint finish and direct printing	
Connectors	SMPTE 304	LEMO FMW.3K.93C.TLMT96Z
	Power	Terminal block 5 ends
	Optical Fibre	LC-LC Monomode
Dimensions	115 x 54 x 188 mm	





Connectivity Solutions for:
Scenic Arts · Broadcast · Professional Sound · A/V



3

Tech Data

PANEL
SMPTE 304
MODULAR ADAPTOR



www.pinanson.eu
pinanson@pinanson.eu

PINANSON S.L
Avda. Constitución, 40. Mondéjar (Guadalajara). SPAIN.
Telephone: +34 949 385 444 · Fax: +34 949 385 643

Review: July 2022

For possible changes due to continuous product improvements; Pinanson S.L. reserves the right to change the showed data in this document without notice. The data presented here correspond to the time it was compiled.

JULY 2022