


## Tech Data

## PATCH PANEL

TRIAX

NO ISOLATED



## Description

- **2 rows** with up to **10 TRIAX 75  $\Omega$  connectors.**
- **Front side:** TRIAX connector (LEMO, FISCHER u other)
- Patch panel made of extruded aluminium, designed and manufactured by Pinanson.

(\*) Patchbay drawing with 8 TRIAX connectors.

## Tech Data

## PATCH PANEL

TRIAx

NO ISOLATED

### Applications

Professional video installations where are used multiple **professional TV cameras signal**.

### Physical Characteristics

#### Panel


**Panel Frame** of extruded aluminium,  
6063 Alloy, T5 Treatment.

Painted: powder electrostatic covering 100-150  $\mu$ . Standard colour: textured matte black (consult other colours).

**Label** of Polypropylene 100  $\mu$  and white colour.

**Tie Cable Bar** of steel bar of F1 calibration and 8 mm.

Painted: powder electrostatic covering 100-150  $\mu$ . Standard colour: textured matte black (consult other colours).



## Tech Data

## PATCH PANEL

TRIAX

NO ISOLATED

### Connectors

Pinanson works with the best TRIAX connectors. Ask for the connector you prefer for your application, if you don't find what you need contact us.

See Physical and Electrical Characteristics of each connector on:

TRIAX <i>LEMO</i>	<a href="http://www.lemo.com">www.lemo.com</a>
TRIAX <i>FISCHER</i>	<a href="http://www.fischerconnectors.com">www.fischerconnectors.com</a>
TRIAX <i>CANARE</i>	<a href="http://www.canare.com">www.canare.com</a>

OTHER BRANDS, MODELS OR SPECIFICATIONS: [pinanson@pinanson.com](mailto:pinanson@pinanson.com)

CONSULT US IF YOU WANT A CUSTOM SOLUTION, OUT OF STANDARD PRODUCTS:

[ventas@pinanson.com](mailto:ventas@pinanson.com)

ALL VIDEO PINANSON PATCHBAYS ARE IN OUR WEBSITE:

<http://www.pinanson.com/catalogue/en/177-patchbays>

## Tech Data

## PATCH PANEL

TRIAx

NO ISOLATED



Web: [www.pinanson.com](http://www.pinanson.com)  
@: [pinanson@pinanson.com](mailto:pinanson@pinanson.com)

PINANSON S.L  
Avda. Constitucion, 40. Mondejar (Guadalajara). SPAIN.  
Telephone: +34 949 385 444 · Fax: +34 949 385 643

**Review: May 2014**

For possible changes due to continuous product improvements; Pinanson S.L. reserves the right to change the showed data in this document without notice. The data presented here correspond to the time it was compiled.