

Tech Data

PATCHBAYS HYBRID

Description


Patch panels designed and manufactured by Pinanson. Customised according to customer needs.

- Extruded aluminium panel
- Black colour (available different colours under request)
- Different dimensions of width: 19" (483 mm) and mini (241 mm)
- From 1 RU up to 6 RU
- Number and type of connectors according to needs
- Connectors and chassis insulated between them (in video patch panels)

Physical Characteristics






- Extruded aluminium profile panel and label frame. Alloy 6063 and treatment T5
- 100 μ polypropylene white label.
- Optional: It is available direct print for the text and logos
- 8 mm tie cable in calibrated F1 steel
- Electrostatic powder coating painting with 100 -150 μ . Standard colour: black. Consult other colours.
- Chassis insulation panel: black polyethylene of 12 mm

PROFILES



Tech Data

PATCHBAYS HYBRID

| | |
|----------------------|--|
| <p>FRONT</p> |   |
| <p>LABEL PROFILE</p> |  |
| <p>TIE CABLES</p> |   <p>Depth: 70 or 100 mm depending on the connectors</p> |

Connectors

Chosen by the customer. Pinanson works with brands like: Neutrik, Coax, Openetics, Lemo, Telegärtner...

Tech Data

PATCHBAYS HYBRID



Web: www.pinanson.eu
@: pinanson@pinanson.eu

PINANSON S.L
Avda. Constitucion, 40. Mondejar (Guadalajara). SPAIN.
Telephone: +34 949 385 444 · Fax: +34 949 385 643

Review: July 2019

For possible changes due to continuous product improvements; Pinanson S.L. reserves the right to change the showed data in this document without notice. The data presented here correspond to the time it was compiled.