
AV BOXES

CUBOID

FLOOR






- o Cable exit on one side allowing a complete closure of the box when not in use.
- o Full customization of the box in terms of connectors, texts, logos and colour, allowing full integration with the aesthetics of the room.
- o Designed and manufactured by Pinanson S.L. in Spain

Applications

- Rooms with space problems to install a connection box like wall, floor...
- Rooms where to have access to video, audio, data and power connections in a box recessed in the floor is required
- Facilities in which **keeping the boxes integrated with the decoration** of the room as well as high durability are important factors.


Special Characteristics

- o Allows **parallel connection** to the floor, saving the space of the connector and the cable twist.
- o Hole in the lid to **open comfortably** with the finger.
- o **Robust finish** that respects the **aesthetics** of the room.
- o Easy installation, screwable and easy wiring of the connectors.
- o **Custom manufacturing:** connectors, color, according to the room aesthetics, texts, logos.





Connectivity solutions



Physical Characteristics										
		GROSOR								
	Extruded aluminium	Aluminium plate	6063 Alloy	Treatment T5	Stainless steel	Reinforced polyamide	3 mm			
Panel Frame										
Frontal and rear panel										
Door										
Union laterals										
Hinges										
General finish	PAINT		COLOR		TEXTS					
	Powder electrostatic covering		Under request		Direct printing of logos, texts according client preferences					





Mechanical Characteristics				
Approx. weight	1 UM	2 UM	1U	2 U
	2.7 Kg	3.4 Kg	5.4 Kg	6.8 Kg



Web: www.pinanson.eu
a: pinanson@pinanson.eu

PINANSON S.L

Avda. Constitución, 40. Mondéjar (Guadalajara). ESPAÑA. Teléfono: +34 949 385 444 · Fax: +34 949 385 643

Revisión: June 2020

For possible changes due to continuous product improvements; Pinanson S.L. reserves the right to change the showed data in this document without notice. The data presented here correspond to the time it was compiled.