

## AV BOXES FOR SURFACE

## STANDARD WITH PANEL



- **Box with a width adaptable** to the needs of each client. With a minimum of **6 cm** and a maximum of **250 cm**
- **Complete customization** of the box in terms of connectors, texts, logos and color, allowing complete integration with the aesthetics of the room.
- **Designed and manufactured by Pinanson S.L. in Spain.**

## Applications



- Rooms **with space problems** to install a connection box **on wall**.
- **Rooms where to have access to video, audio, data, and power connections in a box on wall is required**
- Facilities in which **keeping the boxes integrated with the decoration** of the room as well as high durability are important factors.

## Special Characteristics

- Special widths with a **minium of 6 cm** and a **maximum of 250 cm**.
- Wall screw box
- To be manipulated in the installation to be wiring and fixing to the wall.
- **Robust finish** that respects the **aesthetics** of the room.
- **Custom manufacturing:** connectors, color, according to the room aesthetics, texts, logos.



## Models



CAT 1RU	Dimensions	Configurable x 63 x 52 mm	CAT 2RU	Dimensions	Configurable x 115 x 64 mm
---------	------------	---------------------------	---------	------------	----------------------------

## Physical Characteristics

	MATERIAL						TICKNESS
	Extruded aluminium	Aluminium plate	6063 Alloy	Treatment T5	Stainless steel	Reinforced polyamide	3 mm
Panel Frame and box							
Union laterals							
General finish	PAINT		COLOR		TEXTS		
	Powder electrostatic covering		Under request		Direct printing of logos, texts according client preferences		

## Mechanical Characteristics

Approx. weight	Depends on width configuration
----------------	--------------------------------



Web: [www.pinanson.eu](http://www.pinanson.eu)  
@: [pinanson@pinanson.eu](mailto:pinanson@pinanson.eu)

PINANSON S.L  
Avda. Constitución, 40. Mondéjar (Guadalajara). ESPAÑA.  
Teléfono: +34 949 385 444 · Fax: +34 949 385 643

#### Revisión: November 2020

For possible changes due to continuous product improvements; Pinanson S.L. reserves the right to change the showed data in this document without notice. The data presented here correspond to the time it was compiled.