

# AV BOXES

FOR WALL. BUILT IN

WR INS




- Box to be **build the wall in** and screwed into plasterboard or wood through the flap.
- It makes it possible to **install the box during the building the room** avoiding panel damages.
- **Full customization of the box** in terms of connectors, texts, logos and colour.
- **Designed and manufactured by Pinanson S.L. in Spain**

## Applications




- **Rooms where** to have access to **video, audio, data and power** connections **in a box embedded in wall** is required.
- Facilities in which **keeping the boxes integrated with the decoration** of the room as well as high durability are important factors.

## Special Characteristics

- Two **separate screwable parts** (box and panel support) to make easier the installation in the room building phase.
- Panel support which include a **rack strip for mini or 19" panel**.
- **Easy installation**, screwable and easy wiring of the connectors.
- To **be screwed** in wall through a flap.
- **Custom manufacturing**: connectors, color, according to the room aesthetics, texts, logos.



## Models

	<b>Depth</b>			<b>Depth</b>			
	100 mm			100 mm			
	200 mm			160 mm			
				200 mm			
WRD INS 4RUM	<b>Width x Height</b>		WRD INS 2RUM	<b>Width x Height</b>			
	313 x 275 mm			313 x 186 mm			
	<b>Gap</b>			<b>Gap</b>			
275 X 235 mm		275 X 146 mm					
	<b>Depth</b>						
	100 mm						
	160 mm						
	200 mm						
WR INS 4RU	<b>Width x Height</b>						
	560 x 275 mm						
	<b>Gap</b>						
525 X 235 mm							

**Physical Characteristics**

	MATERIAL					GROSOR	
	Extruded aluminium	Sheet steel S-235-JR	6063 Alloy	Treatment T5	Reinforced polyamide + Stainless steel	1.5 mm	3 mm
Box, flap with panel support							
General finish	PAINT		COLOR		TEXTS		
	Powder electrostatic covering		Under request		Direct printing of logos, texts according to client preferences		



### Mechanical Characteristics

Approximate weight

4RUM		2RUM			4RU		
100	200	100	160	200	100	160	200
3.45 Kg	4.55 Kg	1.95 Kg	3.45 Kg	4.55 Kg	1.95 Kg	3.45 Kg	4.55 Kg



Web: [www.pinanson.eu](http://www.pinanson.eu)  
@: [pinanson@pinanson.eu](mailto:pinanson@pinanson.eu)

PINANSON S.L  
Avda. Constitución, 40. Mondéjar (Guadalajara). ESPAÑA.  
Teléfono: +34 949 385 444 · Fax: +34 949 385 643

**Review: May 2021**

For possible changes due to continuous product improvements; Pinanson S.L. reserves the right to change the showed data in this document without notice. The data presented here correspond to the time it was compiled.